OIPE IAP90
JUL 21 2006
PATENT & TRADEMARK OFFICE

FIG.1



OIPE IAP90
JUL 21 2006
PATENT & TRADEMARK OFFICE

FIG.2



OIPE IAP90 JUL 21 2006 PATENT & TRADEMARK OFFICE

FIG.3



OIPE IAP90 JUL 21 2006 PATENT & TRADEMARK OFFICE

FIG.6



OIPE IAP90 JUL 21 2006 PATENT & TRADEMARK OFFICE

FIG.10



OBLON, SPIVAK, et al
Docket No: 290402US-2 PCT
Inventor: Kazuhito NIWANO
Prior to a first examination on the merits
Replacement Sheet

OIPE IAP90 JUL 21 2006 PATENT & TRADEMARK OFFICE

FIG.11



OBLON, SPIVAK, et al
Docket No: 290402US-2 PCT
Inventor: Kazuhito NIWANO
Prior to a first examination on the merits
Replacement Sheet

OIPE IAP90 JUL 21 2006 PATENT & TRADEMARK OFFICE

FIG.14



OBLON, SPIVAK, et al
Docket No: 290402US-2 PCT
Inventor: Kazuhito NIWANO
Prior to a first examination on the merits
Replacement Sheet

O I P E IAP90
JUL 21 2006
PATENT & TRADEMARK OFFICE

FIG.15



OIPE IAP90 JUL 21 2006 PATENT & TRADEMARK OFFICE

FIG.16

SIGNAL IDENTIFIER (Signalling index)	OPERATION MODE
0	USE OF PRIORITY
1	USE OF RESIDUAL PRIORITY
2	RESERVE OR OTHER OPERATION MODE